acco		egulation (EU)	2013/030			<b>FEYCOLOR</b> °
Article Print o Versio	date:	1-9940 21.11.2018 1.3	RELAFLOOR 994 Revision date: 24 Issue date: 19.12	.10.2018	999998 EN Page 1 / 7	TERCOLON
SEC	TION 1: Id	entification of t	he substance/mixt	ure and of the	company/undertakin	9
1.1.	product ic					
	Article No.	(manufacturer/su on of the substand		1-9940 RELAFLOOR Quarzsand m	. 9940 ittel 0,3 - 0,8 mm	
1.2.	Relevant i	dentified uses of	the substance or m	ixture and uses	advised against	
1.3.	Details of	the supplier of the	ne safety data sheet			
	manufacto FEYCOLO Maxhuette 93055 Reg	R GmbH nstraße 6		Telefax: 0049 E-mail info@f	049 (0)941/60 49 7-0 (0)941/60 49 7-30 eycolor.com v.feycolor.com	
	Departmer	oonsible for infor nt for dangerous g mpetent person)		0049 (0)941/6 sd@feycolor.		
1.4.	Emergence Emergence	y telephone num y telephone numb			4 11 21 12 (FCM)	
SEC	TION 2: Ha	azards identific	ation			
2.1.	Classifica	tion of the subst	ance or mixture			
	Classifica	tion according to	Regulation (EC) No	1272/2008 [CLF	?]	
	The substa	ance is classified a	as not hazardous acco	ording to regulation	on (EC) No 1272/2008 [C	_P].
2.2.	Label eler	nents				
	Labelling	according to Reg	gulation (EC) No. 127	2/2008 [CLP]		
	Hazard pi	ctograms				
	Hazard st		oplicable			
	Frecaulio	-	plicable			
	Hazard co	mponents for la				
	Suppleme	ntal Hazard info	oplicable mation (EU) oplicable			
2.3.	Other haz					
	The substa	ances in the mixtu	re do not meet the PB	T/vPvB criteria a	ccording to REACH, anne	ex XIII.
SEC	TION 3: Co	omposition / inf	formation on ingre	dients		
3.1.	Substance	es				
	Product d	escription / chen	nical characterization	ı		
	Descriptio	on ingradianta				

Hazardous ingredients

Classification a	ccording to Regulation (EC) No 1272/2008 [CLP]	
EC No.	REACH No.	
CAS No.	Chemical name	Wt %
INDEX No.	classification // Remark	

not applicable

Additional information

Article No.:	1-9940	RELAFLOOR 9940
Print date:	21.11.2018	Revision date: 24.10.2018
Version:	1.3	Issue date: 19.12.2017

999998 EN Page 2 / 7 **FEYCOLOR**<sup>®</sup>

Full text of classification: see section 16

## SECTION 4: First aid measures

#### 4.1. Description of first aid measures

#### **General information**

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

#### In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

#### Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

#### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

#### After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

## 4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. **Indication of any immediate medical attention and special treatment needed** No special measures are necessary.

### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media:

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

#### Extinguishing media which must not be used for safety reasons:

strong water jet

#### 5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

#### 5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Keep away from sources of ignition. Ventilate affected area. Do not breathe vapours.

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

## 6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

## 6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advices on safe handling

Avoid formation of flammable and explosive vapour concentrations in the air and exceeding the exposure limit values. Only use the material in places where open light, fire and other flammable sources can be kept away. Electrical equipment must



Article No.:	1-9940	RELAFLOOR 9940
Print date:	21.11.2018	Revision date: 24.10.2018
Version:	1.3	Issue date: 19.12.2017

999998 EN Page 3 / 7

be protected meeting the accepted standard. Product may become electrostatically charged. Provide earthing of containers, equipment, pumps and ventilation facilities. Anti-static clothing including shoes are recommended. Floors must be electrically conductive. Keep away from heat sources, sparks and open flames. Use only spark proof tools. Avoid contact with skin, eyes and clothes. Do not inhale dusts, particulates and spray mist when using this preparation. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

#### Precautions against fire and explosion:

Vapours are heavier than air. Vapours form explosive mixtures with air.

## 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRBS 2153)".

#### Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

#### Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

#### 7.3. Specific end use(s)

Observe technical data sheet.

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

## Occupational exposure limit values:

not applicable

#### 8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

### Occupational exposure controls

#### **Respiratory protection**

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.

#### Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material 0,7 mm; Breakthrough time (maximum wearing time) 60 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles DIN EN 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

## Eye protection

Wear closely fitting protective glasses in case of splashes.

#### **Protective clothing**

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

#### **Protective measures**

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains. See chapter 7. No additional measures necessary.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties



Article No.:	1-9940 F	RELAFLOOR 9940	FETCOLOR
Print date: Version:	21.11.2018 F	Revision date: 24.10.2018 ssue date: 19.12.2017	999998 EN Page 4 / 7
Appear	ance:		
	cal state:	solid	
Colou	r:	refer to label	
Odour:		characteristic	
Odour	threshold:	not applicable	
pH at20	) °C:	n.a.	
Melting	point/freezing point:	not applicable	
Initial b	oiling point and boiling	range: not applicable	
Flash p	oint:	not applicable	
Evapor	ation rate:	not applicable	
	ability (solid, gas):		
	ng time (s):	not applicable	
	ower flammability or exp r explosion limit:		
	explosion limit:	not applicable not applicable	
	pressure at20 °C:	n.a.	
-	density:	not applicable	
Relativ	e density:		
	y at20 °C:	2,60 g/cm³	
Solubil Water	ity(ies): solubility (g/L) at20 °C:	insoluble	
	n coefficient: n-octanol/		
	nition temperature:	not applicable	
-	position temperature:	not applicable	
	ity at °C:	Pulver	
	ive properties:	not applicable	
-	ng properties:	not applicable	
	nformation		
Solid c	ontent (%):	100 Wt %	
	content:		
Organ	ic solvents:	0,00 Wt %	
Water		0,00 Wt %	
Solven	t separation test (%):	< 3 Wt % (ADR/RID)	
SECTION 10	): Stability and reactiv	ity	
10.1. Reactiv No infor	r <b>ity</b> mation available.		
10.2. Chemic Stable v section	when applying the recomr	nended regulations for storage and ha	Indling. Further information on correct storage: refer to
	ility of hazardous reaction way from strong acids, strong	ons ong bases and strong oxidizing agents	to avoid exothermic reactions

## 10.4. Conditions to avoid

Hazardous decomposition byproducts may form with exposure to high temperatures.

#### 10.5. **Incompatible materials** No information available.

## 10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

## **SECTION 11: Toxicological information**

Classification according to Regulation (EC) No 1272/2008 [CLP]



999998 EN Page 5 / 7

No data on preparation itself available.

### 11.1. Information on toxicological effects

## Acute toxicity, calculated:

### Acute toxicity

Based on available data, the classification criteria are not met.

#### skin corrosion/irritation; Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

#### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

#### Specific target organ toxicity

Based on available data, the classification criteria are not met.

#### Practical experience/human evidence

#### Other observations:

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

#### **Overall Assessment on CMR properties**

This substance does not meet the criteria for classification as CMR category 1A or 1B according to CLP.

#### Remark

There is no information available on the preparation itself .

## **SECTION 12: Ecological information**

#### overall evaluation

Classification according to Regulation (EC) No 1272/2008 [CLP] There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

### 12.1. Toxicity

Toxicological data are not available.

## Long-term Ecotoxicity

Toxicological data are not available.

## 12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

## **Bioconcentration factor (BCF)**

No information available.

12.4. Mobility in soil

No information available.

## 12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

## 12.6. Other adverse effects

No information available.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Appropriate disposal / Product





Article No.: Print date: Version:	1-9940 21.11.2018 1.3	RELAFLOOR 9940 Revision date: 24.10.2018 Issue date: 19.12.2017	999998 EN Page 6 / 7	

#### Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

#### List of proposed waste codes/waste designations in accordance with EWC

080112 waste paint and varnish other than those mentioned in 08 01 11

# packaging

## Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

#### **SECTION 14: Transport information**

#### No dangerous good in sense of this transport regulation.

14.1. UN number

# not applicable

not applicable

not applicable

14.2. UN proper shipping name

## 14.3. Transport hazard class(es)

#### 14.4. Packing group

14.5

5.	Environmental hazards	
	Land transport (ADR/RID)	not applicable
	Marine pollutant	not applicable

#### 14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

## Further information

#### Land transport (ADR/RID)

tunnel restriction code

Sea transport (IMDG) EmS-No.

not applicable

## Air transport (ICAO-TI / IATA-DGR)

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** legislation

**Directive 2010/75/EU on industrial emissions** VOC-value (in g/L): 0

## National regulations

## **Restrictions of occupation**

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

## Other regulations, restrictions and prohibition regulations

## 15.2. Chemical Safety Assessment

For this substance a chemical safety assessment has not been carried out.

## **SECTION 16: Other information**

Full text of classification in section 3:



Article No .:	1-9940	RELAFLOOR 9940		
Print date:	21.11.2018	Revision date: 24.10.2018	999998 EN	
Version:	1.3	Issue date: 19.12.2017	Page 7 / 7	

#### Abbreviations and acronyms

ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
AGW (WEL)	Occupational Exposure Limit Value
CAS	Chemicals Abstract Service
CLP	Classification, Labelling and Packaging
CMR	Carcinogenic, Mutagenic and Reprotoxic
• · · · ·	
DNEL	Derived No-Effect Level
IATA-DGR	International Air Transport Association – Dangerous Goods Regulations
ICAO-TI	International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous Goods by Air
	5
IMDG Code	International Maritime Code for Dangerous Goods
PBT	persistent, bioaccumulative, toxic
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport international ferroviaire de marchandises Dangereuses
	(Regulations concerning the International Carriage of Dangerous Goods by Rail)
UN	United Nations
LC	Lethal Concentration
LD	Lethal Dose
VOC	Volatile Organic Compounds
	5
vPvB	very persistent and very bioaccumulative

#### **Further information**

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.