SEC	TION 1: Id				Page 1 / 7	
		entification of th	ne substance/mixtu	ire and of the comp	pany/undertaking	
1.1.		lentifiers (manufacturer/sup on of the substance		1-9950 RELAFLOOR 9950 Quarzsand grob 1,0	- 2,0 mm	
1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses: Extender for use with floor coatings. See advice in technical data sheet				ed against		
1.3.	Details of manufactu FEYCOLO Maxhuetter 93055 Reg	<b>Irer</b> R GmbH nstraße 6	e safety data sheet	Telephone: 0049 (0) Telefax: 0049 (0)94 E-mail info@feycolo Website: www.feyco	1/60 49 7-30 r.com	
	Departmen	oonsible for inforn at for dangerous go mpetent person)		0049 (0)941/60 49 7 sd@feycolor.com	<i>'</i> -0	
1.4.	Emergency	y <b>telephone numb</b> y telephone numbe ische Vergiftungsin		+49 (0) 700 24 11 2 +43 (0) 1406 43 43	1 12 (FCM)	
SEC	TION 2: Ha	azards identifica	tion			
2.1.	Classifica	-	Regulation (EC) No 1	I272/2008 [CLP] ding to regulation (EC	) No 1272/2008 [CL	P].
2.2.	Label elen Labelling : Hazard pic Hazard sta	according to Reg ctograms	ulation (EC) No. 1272	2/2008 [CLP]		

**FEYCOLOR**<sup>®</sup>

not applicable

Precautionary statements

not applicable

Hazard components for labelling

not applicable Supplemental Hazard information (EU)

not applicable

# 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# **SECTION 3: Composition / information on ingredients**

3.1.	Substances				
	Product description / chemical characterization				
	Description				
	Hazardous ingredients				
	Classification according to Regulation (EC) No 1272/2008 [CLP]				
	EC No.	REACH No.			
	CAS No.	Chemical name	Wt %		
	INDEX No.	classification // Remark			

 Article No.:
 1-9950
 RELAFLOOR 9950

 Print date:
 21.11.2018
 Revision date: 24.10.2018

 Version:
 1.5
 Issue date: 19.12.2017

999998 EN Page 2 / 7 **FEYCOLOR**<sup>®</sup>

not applicable

#### Additional information

Full text of classification: see section 16

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

# **General information**

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

#### In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

#### Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

#### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

# After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

# 4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

#### 4.3. **Indication of any immediate medical attention and special treatment needed** No special measures are necessary.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

# Suitable extinguishing media:

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

# Extinguishing media which must not be used for safety reasons:

strong water jet

# 5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

# 5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

# SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Keep away from sources of ignition. Ventilate affected area. Do not breathe vapours.

# 6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

# 6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

# 6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

SECTION 7: Handling and storage

Article No.:	1-9950	RELAFLOOR 9950
Print date:	21.11.2018	Revision date: 24.10.2018
Version:	1.5	Issue date: 19.12.2017

999998 EN Page 3 / 7 **FEYCOLOR®** 

# 7.1. Precautions for safe handling

# Advices on safe handling

Avoid formation of flammable and explosive vapour concentrations in the air and exceeding the exposure limit values. Only use the material in places where open light, fire and other flammable sources can be kept away. Electrical equipment must be protected meeting the accepted standard. Product may become electrostatically charged. Provide earthing of containers, equipment, pumps and ventilation facilities. Anti-static clothing including shoes are recommended. Floors must be electrically conductive. Keep away from heat sources, sparks and open flames. Use only spark proof tools. Avoid contact with skin, eyes and clothes. Do not inhale dusts, particulates and spray mist when using this preparation. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

# Precautions against fire and explosion:

Vapours are heavier than air. Vapours form explosive mixtures with air.

# 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRBS 2153)".

# Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

# Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

# 7.3. Specific end use(s)

Observe technical data sheet.

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

# Occupational exposure limit values:

not applicable

# 8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

# **Occupational exposure controls**

# **Respiratory protection**

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.

# Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material 0,7 mm; Breakthrough time (maximum wearing time) 60 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles DIN EN 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

# Eye protection

Wear closely fitting protective glasses in case of splashes.

# **Protective clothing**

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

# **Protective measures**

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls



999998 EN Page 4 / 7

Article No.:	1-9950	RELAFLOOR 9950	
Print date:	21.11.2018	Revision date: 24.10.2018	
Version:	1.5	Issue date: 19.12.2017	

Do not allow to enter into surface water or drains. See chapter 7. No additional measures necessary.

# **SECTION 9: Physical and chemical properties**

9.1.	Information on basic physical and chemical properties					
	Appearance:					
	Physical state:	solid				
	Colour:	refer to label				
	Odour:	characteristic				
	Odour threshold:	not applicable				
	pH at20 °C:	n.a.				
	Melting point/freezing point:	not applicable				
	Initial boiling point and boiling range:	not applicable				
	Flash point:	not applicable				
	Evaporation rate:	not applicable				
	Flammability (solid, gas):					
	Burning time (s):	not applicable				
	Upper/lower flammability or explosive limits:					
	Lower explosion limit: Upper explosion limit:	not applicable not applicable				
	Vapour pressure at20 °C:	n.a.				
	Vapour density:	not applicable				
	Relative density:					
	Density at20 °C:	2,60 g/cm³				
	Solubility(ies):					
	Water solubility (g/L) at20 °C:	insoluble				
	Partition coefficient: n-octanol/water:	see section 12				
	Auto-ignition temperature:	not applicable				
	Decomposition temperature:	not applicable				
	Viscosity at °C:	Pulver				
	Explosive properties:	not applicable				
	Oxidising properties:	not applicable				
9.2.	Other information					
	Solid content (%):	100 Wt %				
	solvent content:					
	Organic solvents:	0,00 Wt %				
	Water:	0,00 Wt %				
	Solvent separation test (%):	< 3 Wt % (ADR/RID)				

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No information available.

# 10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

# 10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

# 10.4. Conditions to avoid

Hazardous decomposition byproducts may form with exposure to high temperatures.

#### 10.5. **Incompatible materials** No information available.

10.6. **Hazardous decomposition products** Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide,



Article No.:	1-9950	RELAFLOOR 9950
Print date:	21.11.2018	Revision date: 24.10.2018
Version:	1.5	Issue date: 19.12.2017

999998 EN Page 5 / 7

# smoke, nitrogen oxides.

# **SECTION 11: Toxicological information**

Classification according to Regulation (EC) No 1272/2008 [CLP] No data on preparation itself available.

# 11.1. Information on toxicological effects

#### Acute toxicity, calculated:

#### Acute toxicity

Based on available data, the classification criteria are not met.

# skin corrosion/irritation; Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

# CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

# Specific target organ toxicity

Based on available data, the classification criteria are not met.

#### Practical experience/human evidence

Other observations:

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

# **Overall Assessment on CMR properties**

This substance does not meet the criteria for classification as CMR category 1A or 1B according to CLP.

#### Remark

There is no information available on the preparation itself .

# **SECTION 12: Ecological information**

#### overall evaluation

Classification according to Regulation (EC) No 1272/2008 [CLP] There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

#### 12.1. Toxicity

Toxicological data are not available.

#### Long-term Ecotoxicity

Toxicological data are not available.

# 12.2. Persistence and degradability

No information available.

# 12.3. Bioaccumulative potential

No information available.

# **Bioconcentration factor (BCF)**

No information available.

# 12.4. Mobility in soil

No information available.

# 12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

# 12.6. Other adverse effects

No information available.

1-9950

Article No.:

**FEYCOLOR**°

Print date: Version:	21.11.2018 1.5	Revision date: 24.10.2018 Issue date: 19.12.2017	999998 EN Page 6 / 7			
SECTION 13	3: Disposal consid	derations				
13.1. Waste	treatment methods					
<b>Recom</b> Do not	Appropriate disposal / Product Recommendation Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.					
	List of proposed waste codes/waste designations in accordance with EWC 080112 waste paint and varnish other than those mentioned in 08 01 11					
	mendation	s may be recycled. Vessels not properly	emptied are special waste.			

**RELAFLOOR 9950** 

SEC	TION 14: Transport information				
	No dangerous good in sense of this tra	ansport regulation.			
14.1.	UN number				
		not applicable			
14.2.	UN proper shipping name				
14.3.	Transport hazard class(es)				
		not applicable			
14.4.	Packing group				
		not applicable			
14.5.	Environmental hazards				
	Land transport (ADR/RID)	not applicable			
	Marine pollutant	not applicable			
14.6.	Special precautions for user				
	Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage. Advices on safe handling: see parts 6 - 8				
	Further information				
	Land transport (ADR/RID)				
	tunnel restriction code	-			
	Sea transport (IMDG)				
	EmS-No.	not applicable			
	Air transport (ICAO-TI / IATA-DGR)				
14.7.	Transport in bulk according to Annex I not applicable	I of Marpol and the IBC Code			

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Directive 2010/75/EU on industrial emissions

VOC-value (in g/L): 0

National regulations

# **Restrictions of occupation**

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

# Other regulations, restrictions and prohibition regulations

# 15.2. Chemical Safety Assessment

For this substance a chemical safety assessment has not been carried out.



Article No.:	1-9950	RELAFLOOR 9950
Print date:	21.11.2018	Revision date: 24.10.2018
Version:	1.5	Issue date: 19.12.2017

. ....

999998 EN Page 7 / 7

# **SECTION 16: Other information**

Full text of classification in section 3:

# Abbreviations and acronyms

ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European
	Agreement concerning the International Carriage of Dangerous Goods by Road)
AGW (WEL)	Occupational Exposure Limit Value
CAS	Chemicals Abstract Service
CLP	Classification, Labelling and Packaging
CMR	Carcinogenic, Mutagenic and Reprotoxic
DNEL	Derived No-Effect Level
IATA-DGR	International Air Transport Association – Dangerous Goods Regulations
ICAO-TI	International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous
	Goods by Air
IMDG Code	International Maritime Code for Dangerous Goods
PBT	persistent, bioaccumulative, toxic
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport international ferroviaire de marchandises Dangereuses
	(Regulations concerning the International Carriage of Dangerous Goods by Rail)
UN	United Nations
LC	Lethal Concentration
LD	Lethal Dose
VOC	Volatile Organic Compounds
vPvB	very persistent and very bioaccumulative

# Further information

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.