						FEYCOLOR °	
Article Print o Versio	date:	465 21.11.2018 2.5	FEYCOPUR 465 A Revision date: 24. Issue date: 16.02.	10.2018	999998 EN Page 1 / 7		
SEC	TION 1: Id	entification of t	he substance/mixtu	ure and of the comp	oany/undertaking		
1.1.	product ic	lentifiers					
	Article No. (manufacturer/supplier) Identification of the substance or mixture			465 FEYCOPUR 465 Aq gültig für alle Farbtö Gew-MV: 5:1 mit 114	ne		
1.2.	Relevant i	dentified uses of	the substance or mi	xture and uses advise	ed against		
1.3.	Details of	the supplier of th	e safety data sheet				
	manufactor FEYCOLO						
	Maxhuette 93055 Reg	nstraße 6		Telephone: 0049 (0) Telefax: 0049 (0)941 E-mail info@feycolo Website: www.feyco	I/60 49 7-30 r.com		
		onsible for infor					
		nt for dangerous g mpetent person)	oods	0049 (0)941/60 49 7 sd@feycolor.com	-0		
1.4.	Emergence Emergence	y telephone num		+49 (0) 700 24 11 2 ⁻ +43 (0) 1406 43 43	1 12 (FCM)		
SEC	TION 2: H	azards identific	ation				
2.1.	Classifica	-	Regulation (EC) No	1272/2008 [CLP] ng to regulation (EC) N	o 1272/2008 [CLP].		
2.2.	Label eler	nents					
	Labelling according to Regulation (EC) No. 1272/2008 [CLP]						
	Hazard pi	ctograms					
	Hazard st	atements					
			plicable				
	Precautio	nary statements	nliachla				
	Hazard co	mponents for lat	plicable pelling plicable				
	Suppleme	ental Hazard infor	•				

not applicable

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition / information on ingredients

3.2. Mixtures Product description / chemical characterization Description Mixture of substances listed below with nonhazardous additions. Hazardous ingredients Classification according to Regulation (EC) No 1272/2008 [CLP] EC No. REACH No. CAS No. Chemical name INDEX No. classification // Remark

Wt %

not applicable

	-	77	S		
		1		0	1.1
	-		- ·		

Article No.:	465	FEYCOPUR 465 Aqua Strukturlack		
Print date:	21.11.2018	Revision date: 24.10.2018	999998 EN	
Version:	2.5	Issue date: 16.02.2018	Page 2 / 7	

Additional information

Full text of classification: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. **Indication of any immediate medical attention and special treatment needed** No special measures are necessary.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Extinguishing media which must not be used for safety reasons: strong water jet

5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device.Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep away from sources of ignition. Ventilate affected area. Do not breathe vapours. See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

SECTION 7: Handling and storage

7.1. Precautions for safe handling Advices on safe handling

FEYCOLOR°

Article No.:	465	FEYCOPUR 465 Aqua Strukturlack		
Print date:	21.11.2018	Revision date: 24.10.2018	999998 EN	
Version:	2.5	Issue date: 16.02.2018	Page 3 / 7	

Avoid formation of flammable and explosive vapour concentrations in the air and exceeding the exposure limit values. Only use the material in places where open light, fire and other flammable sources can be kept away. Electrical equipment must be protected meeting the accepted standard. Keep away from heat sources, sparks and open flames. Use only spark proof tools. Avoid contact with skin, eyes and clothes. Do not inhale dusts, particulates and spray mist when using this preparation. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

Precautions against fire and explosion:

Vapours are heavier than air. Vapours form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRBS 2153)".

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight.

Due to the content of organic solvents in the preparation:

Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3. Specific end use(s)

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values:

not applicable

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

Occupational exposure controls

Respiratory protection

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.

Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material 0,7 mm; Breakthrough time (maximum wearing time) 60 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles DIN EN 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye protection

Wear closely fitting protective glasses in case of splashes.

Protective clothing

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains. See chapter 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

nical properties

acco	iung to Re	egulation (EO) 2	015/030		FEYCOLOR [®]		
Article Print o Versio	late:	465FEYCOPUR21.11.2018Revision date2.5Issue date: 16			999998 EN Page 4 / 7		
9.1.	Informatio Appearanc		cal and chemical p	properties			
	Physical Colour:			Liquid refer to label			
	Odour: c		characteristic				
	Odour thre			not applicable			
	pH at20 °C			n.a.			
		oint/freezing point		not applicable			
	Initial boiling point and boiling range:			100 °C Source: VE-Wasser			
	Flash poin			not applicable			
	Evaporatio			not applicable			
	Flammability (solid, gas): Burning time (s):			not applicable			
	Upper/lower flammability or explosive limits: Lower explosion limit: Upper explosion limit:		1,1 Vol-% 10,6 Vol-% Source: 2-butoxyethanol				
	Vapour pressure at20 °C:			0,0031 mbar			
	Vapour density:			not applicable			
	Relative density: Density at20 °C:		1,29 g/cm³				
	Solubility(ies): Water solubility (g/L) at20 °C:			partially soluble			
	Partition coefficient: n-octanol/water:			see section 12			
	Auto-ignition temperature:			315 °C Source: Relamix Aqua W	Veiß 910 PMA 460 Weiß		
	Decomposition temperature: Viscosity at20 °C:):	not applicable			
				> 60 s 4 mm Method: DIN 53211			
	Explosive	properties:		not applicable			
	Oxidising	properties:		not applicable			
9.2.	Other info	rmation					
	Solid content (%):			53 Wt %			
	solvent content: Organic solvents: Water:			0,26 Wt % 46,42 Wt %			
	Solvent separation test (%):			< 3 Wt % (ADR/RID)			
SEC	TION 10: S	stability and read	ctivity				

SECTION 10: Stability and reactivity

10.1. Reactivity

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5. Incompatible materials

10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide,



Article No.:	465	FEYCOPUR 465 Aqua Strukturlack		
Print date:	21.11.2018	Revision date: 24.10.2018	999998 EN	
Version:	2.5	Issue date: 16.02.2018	Page 5 / 7	

smoke, nitrogen oxides.

SECTION 11: Toxicological information

Classification according to Regulation (EC) No 1272/2008 [CLP] No data on preparation itself available.

11.1. Information on toxicological effects

Acute toxicity, calculated:

Acute toxicity

Based on available data, the classification criteria are not met.

skin corrosion/irritation; Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

Specific target organ toxicity

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Other observations:

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

Overall Assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

SECTION 12: Ecological information

overall evaluation

Classification according to Regulation (EC) No 1272/2008 [CLP] There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

12.1. Toxicity

No information available.

Long-term Ecotoxicity

No information available.

- 12.2. **Persistence and degradability** No information available.
- 12.3. Bioaccumulative potential

No information available.

Bioconcentration factor (BCF)

No information available.

12.4. **Mobility in soil** No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

Article Print da Versior	ate:	465 21.11.2018 2.5	FEYCOPUR 465 Aqua Strukturlack Revision date: 24.10.2018 Issue date: 16.02.2018	999998 EN Page 6 / 7			
SECT	FION 13 :	Disposal consid	erations				
-		eatment methods	4				
	Recomm	ate disposal / Proe endation	duct				
				container must be disposed of in a safe way. Was			
	-	-	/e 2008/98/EC, covering waste and dangerou les/waste designations in accordance wit				
	080112		paint and varnish other than those mentione				
	packagin						
	Recomm		may be recycled. Vessels not properly empt	tied are special waste			
		Transport inform					
	UN numb	•	se of this transport regulation.				
14.1.			not applicable				
14.2.	UN prope	er shipping name					
	_						
14.3.	Transpor	t hazard class(es)	not applicable				
14.4.	Packing	group					
			not applicable				
14.5.	Environn	nental hazards					
	Land tran	sport (ADR/RID)	not applicable				
	Marine po		not applicable				
	Special precautions for user						
	case of a	: always in closed, u n accident or leakag n safe handling: se	ge.	persons transporting the product know what to do ir			
	Further in	nformation					
	Land trar	nsport (ADR/RID)					
		striction code	-				
	Sea trans	sport (IMDG)					
	EmS-No.	/	not applicable				
	Air trans	port (ICAO-TI / IAT	A-DGR)				
14.7.	Transpor	t in bulk accordin	g to Annex II of Marpol and the IBC Code				
	not applic						
SECT	FION 15 :	Regulatory infor	mation				
			nental regulations/legislation specific for	the substance or mixture			
	EU legisl						
	-		dustrial emissions				
		ie (in g/L): 3					
		regulations					
	Restrictio	ons of occupation					

FEYCOLOR[®]

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Other regulations, restrictions and prohibition regulations

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this preparation were not carried out.

Article No.: 465 FEYCOPUR 465 Aqua Strukturlack Print date: 21.11.2018 Revision date: 24.10.2018 999998 EN Version: 2.5 Issue date: 16.02.2018 Page 7 / 7

SECTION 16: Other information

Full text of classification in section 3:

Abbreviations and acronyms

ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
AGW (WEL)	Occupational Exposure Limit Value
CAS	Chemicals Abstract Service
CLP	Classification, Labelling and Packaging
CMR	Carcinogenic, Mutagenic and Reprotoxic
DNEL	Derived No-Effect Level
IATA-DGR	International Air Transport Association – Dangerous Goods Regulations
ICAO-TI	International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous
	Goods by Air
IMDG Code	International Maritime Code for Dangerous Goods
PBT	persistent, bioaccumulative, toxic
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport international ferroviaire de marchandises Dangereuses
	(Regulations concerning the International Carriage of Dangerous Goods by Rail)
UN	United Nations
LC	Lethal Concentration
LD	Lethal Dose
VOC	Volatile Organic Compounds
	5
vPvB	very persistent and very bioaccumulative

Further information

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.