according to Regulation (EU) 2015/830						
Article No Print date Version:		18 FEYCOPOX 522 18 Revision date: 24 Issue date: 11.10		999998 EN Page 1 / 8	FEYCOLOR®	
SECTIO	N 1: Identificatio	on of the substance/mix	ture and of the comp	any/undertaking	]	
1.1. pro	oduct identifiers					
	ticle No. (manufactuentification of the su		522 FEYCOPOX 522 EP für alle Farbtöne Gew-MV: 10:1 mit Hå	-		
1.2. <b>Re</b>	elevant identified u	ses of the substance or m	ixture and uses advise	d against		
-	•		paint application. Applica	ition methodes: sp	ray, if necessary by brush or	
1.3. <b>De</b>	tails of the supplie	er of the safety data sheet				
FE Ma	anufacturer YCOLOR GmbH axhuettenstraße 6 055 Regensburg		Telephone: 0049 (0)9 Telefax: 0049 (0)941/ E-mail info@feycolor Website: www.feycolo	/60 49 7-30 .com		
De	pt. responsible for partment for dange mail (competent per	rous goods	0049 (0)941/60 49 7- sd@feycolor.com	0		
Err	nergency telephon nergency telephone terreichische Vergif		+49 (0) 700 24 11 21 +43 (0) 1406 43 43	12 (FCM)		
SECTIO	N 2: Hazards ide	entification				
Cla Th Aq 2.2. La La	Classification according to Regulation (EC) No 1272/2008 [CLP]The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].Aquatic Chronic 2 / H411Hazardous to the aquatic environmentToxic to aquatic life with long lasting effects.					
H4 Pro P5	Hazard statements   H411 Toxic to aquatic life with long lasting effects.   Precautionary statements   P501 Dispose of contents/container to industrial incineration plant.   Hazard components For labelling not applicable					
Su	pplemental Hazaro	• •				
	Other hazards The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.					
SECTION 3: Composition / information on ingredients						
	xtures					
		/ chemical characterizatio	n			
De	escription	Zubereitung aus wasserver Bindemittel, Pigmenten, Lö	rdünnbarem			
На	Hazardous ingredients					

Classification according to Regulation (EC) No 1272/2008 [CLP]

# **FEYCOLOR**°

21.11.2018 2.7	FEYCOPOX 522 EP Hydro Primer Revision date: 24.10.2018	999998 EN	
	Issue date: 11.10.2018	Page 2 / 8	
REAC	H No.		
Chem	ical name		Wt %
classi	fication // Remark		
01-21	19485044-40		
trizinc	bis(orthophosphate)		1 < 5
Aquat	ic Acute 1 H400 / Aquatic Chronic 1 H410		
2-(pro	pyloxy)ethanol		1 < 5
Acute	Tox. 4 H312 / Eye Irrit. 2 H319		
	Chem classi 01-21 trizinc Aquati 2-(pro	2-(propyloxy)ethanol Acute Tox. 4 H312 / Eye Irrit. 2 H319	Chemical name classification // Remark 01-2119485044-40 trizinc bis(orthophosphate) Aquatic Acute 1 H400 / Aquatic Chronic 1 H410 2-(propyloxy)ethanol Acute Tox. 4 H312 / Eye Irrit. 2 H319

Full text of classification: see section 16

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

#### In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

#### Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

#### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

#### After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

# 4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

No special measures are necessary.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media:

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

**Extinguishing media which must not be used for safety reasons:** strong water jet

#### 5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

#### 5.3. Advice for firefighters

Provide a conveniently located respiratory protective device.Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Keep away from sources of ignition. Ventilate affected area. Do not breathe vapours. See protective measures under point 7 and 8.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

#### 6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it



Article No.:	522	FEYCOPOX 522 EP Hydro Primer		and the second
Print date: Version:	21.11.2018 2 7	Revision date: 24.10.2018 Issue date: 11.10.2018	999998 EN Page 3 / 8	
vereien.	<b>L</b> .1		r ugo o / o	

for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

#### 6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

## Advices on safe handling

Avoid formation of flammable and explosive vapour concentrations in the air and exceeding the exposure limit values. Only use the material in places where open light, fire and other flammable sources can be kept away. Electrical equipment must be protected meeting the accepted standard. Keep away from heat sources, sparks and open flames. Use only spark proof tools. Avoid contact with skin, eyes and clothes. Do not inhale dusts, particulates and spray mist when using this preparation. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

#### Precautions against fire and explosion:

Vapours are heavier than air. Vapours form explosive mixtures with air.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRBS 2153)".

#### Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

#### Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight.

Due to the content of organic solvents in the preparation:

Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

#### 7.3. Specific end use(s)

Observe technical data sheet.

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### Occupational exposure limit values:

not applicable

#### 8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

## **Occupational exposure controls**

#### **Respiratory protection**

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.

### Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material 0,7 mm; Breakthrough time (maximum wearing time) 60 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles DIN EN 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

# Eye protection

Wear closely fitting protective glasses in case of splashes.

Article No.: Print date: Version:	522 21.11.2018 2.7	FEYCOPOX 522 EP Hydro Primer Revision date: 24.10.2018 Issue date: 11.10.2018	999998 EN Page 4 / 8	FEYCOLOR®

### Protective clothing

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

#### **Protective measures**

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

## Environmental exposure controls

Do not allow to enter into surface water or drains. See chapter 7. No additional measures necessary.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

	Appearance:	
	Physical state:	Liquid
	Colour:	refer to label
	Odour:	characteristic
	Odour threshold:	not applicable
	pH at20 °C:	n.a.
	Melting point/freezing point:	not applicable
	Initial boiling point and boiling range:	100 °C
		Source: VE-Wasser
	Flash point:	not applicable
	Evaporation rate:	not applicable
	Flammability (solid, gas):	not on allocable
	Burning time (s):	not applicable
	Upper/lower flammability or explosive limits: Lower explosion limit:	0,7 Vol-%
	Upper explosion limit:	5,9 Vol-%
		Source: 2-(2-butoxyethoxy)ethanol
	Vapour pressure at20 °C:	0,0001 mbar
	Vapour density:	not applicable
	Relative density:	
	Density at20 °C:	1,48 g/cm³
	Solubility(ies): Water solubility (g/L) at20 °C:	partially soluble
	Partition coefficient: n-octanol/water:	see section 12
	Auto-ignition temperature:	not applicable
	Decomposition temperature: Viscosity at20 °C:	not applicable 23 s 8 mm
		Method: DIN 53211
	Explosive properties:	not applicable
	Oxidising properties:	not applicable
9.2.	Other information	
	Solid content (%):	67 Wt %
	solvent content:	
	Organic solvents:	3,05 Wt %
	Water:	29,93 Wt %
	Solvent separation test (%):	< 3 Wt % (ADR/RID)
050	TION 10: Stability and repativity	

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

# 10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

#### 10.3. Possibility of hazardous reactions



Article No.:	522	FEYCOPOX 522 EP Hydro Primer		
Print date:	21.11.2018	Revision date: 24.10.2018	999998 EN	
Version:	2.7	Issue date: 11.10.2018	Page 5 / 8	

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

#### 10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

## 10.5. Incompatible materials

#### 10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

#### **SECTION 11: Toxicological information**

Classification according to Regulation (EC) No 1272/2008 [CLP] No data on preparation itself available.

#### 11.1. Information on toxicological effects

#### Acute toxicity, calculated:

ATEmix calculated, dermal: > 5000 mg/kg

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### skin corrosion/irritation; Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

## CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

#### Specific target organ toxicity

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

## Practical experience/human evidence

Other observations:

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

#### **Overall Assessment on CMR properties**

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

## **SECTION 12: Ecological information**

#### overall evaluation

Classification according to Regulation (EC) No 1272/2008 [CLP] There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

## 12.1. Toxicity

No information available.

# Long-term Ecotoxicity

No information available.

12.2. **Persistence and degradability** No information available.

# 12.3. Bioaccumulative potential

No information available.

**Bioconcentration factor (BCF)** 

**FEYCOLOR**<sup>®</sup> FEYCOPOX 522 EP Hydro Primer Article No.: 21.11.2018 Revision date: 24.10.2018 Print date: 999998 EN Version: Issue date: 11.10.2018 Page 6 / 8 No information available. 12.4. Mobility in soil No information available. 12.5. Results of PBT and vPvB assessment The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. 12.6. Other adverse effects No information available. **SECTION 13: Disposal considerations** 13.1. Waste treatment methods Appropriate disposal / Product Recommendation Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. List of proposed waste codes/waste designations in accordance with EWC 080111 Waste paint and varnish containing organic solvents or other dangerous substances packaging Recommendation Non-contaminated packages may be recycled. Vessels not properly emptied are special waste. **SECTION 14: Transport information** 14.1. UN number UN 3082 14.2. UN proper shipping name Land transport (ADR/RID): Environmentally hazardous substance, liquid, n.o.s. (Trizinkbis (orthophosphat)) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Sea transport (IMDG): (Trizinkbis (orthophosphat)) Air transport (ICAO-TI / IATA-DGR): Environmentally hazardous substance, liquid, n.o.s. (Trizinkbis (orthophosphat)) 14.3. Transport hazard class(es) 9 14.4. Packing group Ш 14.5. Environmental hazards UMWELTGEFÄHRDEND Land transport (ADR/RID) Marine pollutant p / Trizinkbis (orthophosphat) 14.6. Special precautions for user Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage. Advices on safe handling: see parts 6 - 8 **Further information** Land transport (ADR/RID) tunnel restriction code in packages <= 5 litres Kein Gut der Klasse 9

Sea transport (IMDG) EmS-No.

in packages <= 5 litres

F-A, S-F

not restricted 2.10.2.7

not restricted not restricted

Air transport (ICAO-TI / IATA-DGR)

in packages <= 5 litres

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

**FEYCOLOR**°

|--|

#### not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** legislation

## Directive 2010/75/EU on industrial emissions

VOC-value (in g/L): 46

## **Directive 2004/42/EC on the limitation of emissions of volatile organic compounds** VOC product category: (Cat. A/j) ; VOC limit value: 500 g/l Maximum VOC content (g/L) of the product in a ready to use condition: 40

National regulations

# Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

#### Other regulations, restrictions and prohibition regulations

#### 15.2. Chemical Safety Assessment

## For the following substances of this preparation a chemical safety assessment has been carried out:

EC No.	Chemical name	REACH No.
CAS No.		
231-944-3	trizinc bis(orthophosphate)	01-2119485044-40
7779-90-0		

#### **SECTION 16: Other information**

# Full text of classification in section 3:

Full text of classifie	cation in section 3:					
Aquatic Acute 1 / H4	Hazardous to the aquatic environment	Very toxic to aquatic organisms.				
Aquatic Chronic 1 / I	H410 Hazardous to the aquatic environment	Very toxic to aquatic life with long lasting effects.				
Acute Tox. 4 / H312	Acute toxicity (dermal)	Harmful in contact with skin.				
Eye Irrit. 2 / H319	Serious eye damage/eye irritation	Causes serious eye irritation.				
Abbreviations and	acronyms					
ADR		des marchandises dangereuses par route (European				
	Agreement concerning the International Carriage	of Dangerous Goods by Road)				
AGW (WEL)	Occupational Exposure Limit Value					
CAS	Chemicals Abstract Service					
CLP	Classification, Labelling and Packaging	assification, Labelling and Packaging				
CMR	Carcinogenic, Mutagenic and Reprotoxic					
DNEL	Derived No-Effect Level					
IATA-DGR	International Air Transport Association – Dangerous Goods Regulations					
ICAO-TI	International Civil Aviation Organization Technic	al Instructions for the Safe Transport of Dangerous				
	Goods by Air					
IMDG Code	International Maritime Code for Dangerous Good	3				
PBT	persistent, bioaccumulative, toxic					
PNEC	Predicted No Effect Concentration					
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals					
RID	Règlement concernant le transport internat					
	(Regulations concerning the International Carriag	e of Dangerous Goods by Rail)				
UN	United Nations					
LC	Lethal Concentration					
LD	Lethal Dose					
VOC	Volatile Organic Compounds					
vPvB	very persistent and very bioaccumulative					

#### **Further information**

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be



Page 8 / 8

Article No.: Print date: Version: 522 21.11.2018 2.7 FEYCOPOX 522 EP Hydro Primer Revision date: 24.10.2018 Issue date: 11.10.2018

regarded as guaranteed attributes of the product.